

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L44	46	(373/39).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/19 20:46
S2	39	((KLAUS-DIETER) near2 (DUCH)). INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 12:27
S3	18	((JOHANN) near2 (WEBER)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/03/29 12:27
S5	129	((FRANZ) near2 (OTT)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 12:28
S7	15	((ROBERT) near2 (RUEHL)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/29 12:28
S11	127	(373/30).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/29 16:54
S12	212	(373/27).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/30 08:53
S13	42	(373/38).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/30 09:18
S15	850	glass with (furnace or vessel or chamber) with ((hold\$3 or support \$3 or protect\$3) with electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 19:33
S16	14426	"373"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 19:33
S17	92	S16 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/15 19:34
S19	160	(373/36).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/16 11:39
S20	62	(373/37).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/16 12:16
S22	136	(373/41).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/16 12:19
S25	102	(373/35).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/16 14:06
S26	14426	"373"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/16 14:14
S27	2052	S26 and electrode with (holder or support or device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/16 14:14
S28	279	S27 and shield\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/16 14:15

S29	57	(373/69).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/16 14:29
S30	310	(373/94).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/16 14:32
S31	43	(373/52).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/16 15:24
S32	34	(373/54).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/16 15:26
S33	11	(373/55).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/16 15:28
S39	14426	"373"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/16 18:24
S40	1179	S39 and (SnO2 or Mo or molybdenum or W or tungsten)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/16 18:24
S41	336	S40 and electrode with (holder or support or device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/16 18:25
S42	89	S41 and glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/16 18:27
S43	3668	S39 and (SnO2 or Mo or molybdenum or W or tungsten)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/16 18:46
S44	7	S39 and (electrode with (holder or support or device) near (SnO2 or Mo or molybdenum or W or tungsten))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/16 18:48
S45	136	S39 and (electrode with (holder or support or device) with (SnO2 or Mo or molybdenum or W or tungsten))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/16 18:55
S46	14426	"373"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/17 13:49
S47	169	S46 and (wall with thickness) and glass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/17 13:49
S48	310	(373/94).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/17 13:54
S49	11	S48 and (wall with thickness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/17 13:54
S50	127	(373/30).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/17 13:55
S51	12	S50 and (wall with thickness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/17 13:55
S52	6	S50 and (refractory with thickness)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/17 13:58
S54	14459	"373"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/05 14:34

S56	4	S54 and (shield\$3 with (basket))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/05 14:34
S57	80	S54 and (shield\$3 with (device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/05 14:36
S59	310	(373/94).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/05 16:02
S100	1356	furnace with bottom with electrode	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/06/17 20:57
S101	14461	"373"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/17 20:58
S102	868	S100 and S101	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/06/17 20:58
S113	57	(373/69).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 09:07
S116	238	(373/79).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 09:11
S117	44	(373/52).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 09:27
S118	11	(373/55).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 09:28
S120	34	(373/54).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 09:30
S121	44	(373/52).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 09:32
S122	51	(373/96).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 09:33
S125	310	(373/94).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 09:36
S127	182	(373/95).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 09:45
S128	155	(373/33).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 09:52
S140	42	(373/38).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 11:18
S143	67	(373/82).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 11:32
S146	771	"373"/\$.ccls. and (bottom with electrode) and @ay<"2005"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/06/18 14:08
S148	41	"373"/\$.ccls. and (electrode and basket) and @ay<"2005"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/06/18 16:33
S149	873	glass with (furnace or vessel or chamber) with ((hold\$3 or support \$3 or protect\$3) with electrode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 16:37

S150	14	"373"/\$.ccls. and glass with ((furnace or vessel or chamber) with (protect\$3 or shield\$3) with electrode) and @ay< "2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 16:39
S151	226	"373"/\$.ccls. and ((furnace or vessel or chamber) with (protect\$3 or shield\$3) with electrode) and @ay< "2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 16:41
S152	411	"373"/\$.ccls. and ((protect\$3 or shield\$3) with electrode) and @ay< "2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 16:49
S153	185	S152 not S151	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 16:50
S154	10	"65"/\$.ccls. and glass with ((furnace or vessel or chamber) with (protect\$3 or shield\$3) with electrode) and @ay< "2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 17:33
S155	131	"65"/\$.ccls. and ((protect\$3 or shield\$3) with electrode) and @ay< "2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 17:33
S156	1172	((protect\$3 or shield\$3) with electrode with (basket or box or casing)) and @ay< "2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 18:31
S157	458	((protect\$3 or shield\$3) with electrode with (basket or box)) and @ay< "2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 18:32
S158	61	S156 and furnace	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 18:32
S159	42433	(electrode with (basket or box or casing or envelop\$3 or sleeve)) and @ay< "2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/19 17:33
S160	14461	"373"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/19 17:33
S163	57320	"65"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/19 18:02
S164	165	S163 and S159	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/19 18:02
S165	54658	"75"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/19 18:24
S166	86	S165 and S159	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/19 18:25

6/ 19/ 2010 9:53:06 PM

C:\Documents and Settings\hnguyen45\My Documents\EAST\Workspaces\10574748.wsp